

OUT-COMMUTING TO OTHER COUNTIES, 2000

OUT-COMMUTING TO OTHER COUNTIES, 2000

Commuting To	Count	Pct. Dist.
Total Employment	8,750	100.0%
Jackson Co. WI	6,532	74.7%
Trempealeau Co. WI	797	9.1%
Monroe Co. WI	446	5.1%
La Crosse Co. WI	256	2.9%
Eau Claire Co. WI	247	2.8%
Clark Co. WI	110	1.3%
Wood Co. WI	70	0.8%
Juneau Co. WI	38	0.4%
Chippewa Co. WI	23	0.3%
Dane Co. WI	23	0.3%
Winona Co. MN	20	0.2%
Sauk Co. WI	12	0.1%
All Other Places	176	2.0%

IN-COMMUTING FROM OTHER COUNTIES, 2000

Commuting From	Count	Pct. Dist.
Total Employment	8,185	96.6%
Jackson Co. WI	6,532	79.8%
Monroe Co. WI	344	4.2%
Clark Co. WI	302	3.7%
Trempealeau Co. WI	251	3.1%
La Crosse Co. WI	181	2.2%
Eau Claire Co. WI	122	1.5%
Wood Co. WI	52	0.6%
Chippewa Co. WI	34	0.4%
Adams Co. WI	23	0.3%
Dunn Co. WI	19	0.2%
Barron Co. WI	16	0.2%
Portage Co. WI	15	0.2%
Buffalo Co. WI	15	0.2%
All Other Places	279	3.4%

WASTEWATER TREATMENT FACILITIES

2009 Compliance Maintenance Annual Report Grade Point Avg	
Jackson County	Grade Point Average
V. Alma Center	4.00
V. Hixton	NA
V. Melrose	3.72
V. Merrilan	3.53
V. Taylor	3.50
C. Black River Falls	4.00
North Bend Sanitary District	4.00
Hatfield Sanitary District	4.00
Wazee Area Wastewater Commission	3.63
Ho Chunk Nation-BRF	NA

Wastewater Treatment Facilities

There are 10 municipal wastewater treatment facilities in Jackson County. The operators of these facilities are required to submit a Compliance and Maintenance Annual Report (CMAR) to the Department of Natural Resources (DNR). A point score is calculated by the DNR for only the CMAR sections that apply to a specific wastewater treatment works. The point score from each section is used to determine the Grade Point Average (GPA). The meaning of the GPA and response range are explained below:

<u>Meaning</u>	<u>Response Range</u>	<u>GPA</u>
Good	Voluntary	4
Satisfactory	Voluntary	3
Marginal	Recommendation	2
Poor	Action	1
Fail	Action	0

Source: Wisconsin Department of Natural Resources

Mississippi River Regional Planning Commission
County Profiles



